



Tubi flessibili e rigidi Flexible and rigid conduits

Per maggiori informazioni e dettagli tecnici consultare il catalogo specifico o visitare il sito www.cortemgroup.com

For further information and technical details please refer to the relevant catalogue or visit the website www.cortemgroup.com

ESECUZIONE
ANTIDEFAGRANTE



CE 0722 Ex II 2GD Ex d IIB Ex tD A21 IP 66/67
CE 0722 Ex II 2GD Ex d IIC Ex tD A21 IP 66/67

EX
CODE

CERTIFICAZIONE



CESI 00 ATEX 048U (Elfit)

CERTIFICATE



GOST R



GOST K

DIRETTIVA

94/9/CE

DIRECTIVE

NORME

EN 60079-0 - EN 60079-1 - EN 61241-1 - EN 61241-0

STANDARDS

INSTALLAZIONE (secondo le EN 60079.10 - EN 60079.14)

zona 1 - 2 - 21 - 22

(according to EN 60079.10 - EN 60079.14) INSTALLATION

CARATTERISTICHE

I tubi flessibili vengono utilizzati per il collegamento di apparecchiature disassate o di apparecchiature soggette a vibrazioni, quali motori elettrici. Sono preferibili anche per l'installazione di armature illuminanti e in alternativa a tubi rigidi qualora questi fossero difficili da installare. I tubi flessibili della serie SP sono caratterizzati da una buona flessibilità e da un ottimo potere smorzante nei confronti delle vibrazioni.

COSTRUZIONE

I tubi flessibili e i relativi raccordi possono essere saldati esclusivamente dal produttore che ne certifica l'esecuzione.

Raccordi a saldare:

1/2" a 1" acciaio inox.

1 1/4" a 4" acciaio zincato.

Raccordi folli: acciaio zincato

Tubo flessibile a spire parallele: acciaio inox

Gamma disponibile interamente in inox (codice con lettera finale S anziché G).

Filettatura ISO7/1.

ACCESSORI A RICHIESTA

Altre filettature.

FEATURES

Flexible conduits are used to connect offset equipment or devices subject to vibrations such as electrical motors. Furthermore, they are suitable for installation of lighting fixtures and in alternative to rigid conduits when they are difficult to install. SP series have a good flexibility and a very good damping effect against vibrations.

CONSTRUCTION

Flexible conduits and relevant joints can be welded by manufacturer only.

Joints to be welded:

from 1/2" to 1" in stainless steel

from 1 1/4" to 4" in galvanised steel

Revolving joints in galvanised steel.

Spiralled flexible conduit in stainless steel.

All the range is available in stainless steel (code with S rather than G as final letter)

ISO7/1 thread.


ACCESSORIES UPON REQUEST

Other threads.



Raccordo 1
Joint

Raccordo 2
Joint



Codice Code	Filettatura Thread Ø	Lunghezza Length mm	Raccordo Joint 1	Raccordo Joint 2	Classe gas Gas group	Prezzo Price
SPN13G	1/2"	300	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN14G	1/2"	400	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN15G	1/2"	500	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN16G	1/2"	600	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN17G	1/2"	700	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN18G	1/2"	800	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN19G	1/2"	900	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN110G	1/2"	1000	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN23G	3/4"	300	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN24G	3/4"	400	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN25G	3/4"	500	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN26G	3/4"	600	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN27G	3/4"	700	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN28G	3/4"	800	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN29G	3/4"	900	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN210G	3/4"	1000	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN33G	1"	300	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN34G	1"	400	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN35G	1"	500	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN36G	1"	600	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN37G	1"	700	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN38G	1"	800	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN39G	1"	900	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN310G	1"	1000	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN44G	1" 1/4	400	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN45G	1" 1/4	500	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN46G	1" 1/4	600	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN47G	1" 1/4	700	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN48G	1" 1/4	800	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN49G	1" 1/4	900	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN410G	1" 1/4	1000	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN55G	1" 1/2	500	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN56G	1" 1/2	600	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN57G	1" 1/2	700	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN58G	1" 1/2	800	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN59G	1" 1/2	900	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN510G	1" 1/2	1000	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN65G	2"	500	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN66G	2"	600	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN67G	2"	700	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN68G	2"	800	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN69G	2"	900	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN610G	2"	1000	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN76G	2" 1/2	600	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN77G	2" 1/2	700	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN78G	2" 1/2	800	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN79G	2" 1/2	900	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN710G	2" 1/2	1000	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN86G	3"	600	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN87G	3"	700	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN88G	3"	800	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN89G	3"	900	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN810G	3"	1000	maschio folle - revolving male	maschio fisso - fixed male	IIB	

Codice Code	Filettatura Thread Ø	Lunghezza Length mm	Raccordo Joint 1	Raccordo Joint 2	Classe gas Gas group	Prezzo Price
SPI13G	1/2"	300	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI14G	1/2"	400	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI15G	1/2"	500	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI16G	1/2"	600	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI17G	1/2"	700	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI18G	1/2"	800	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI19G	1/2"	900	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI110G	1/2"	1000	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI23G	3/4"	300	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI24G	3/4"	400	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI25G	3/4"	500	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI26G	3/4"	600	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI27G	3/4"	700	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI28G	3/4"	800	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI29G	3/4"	900	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI210G	3/4"	1000	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI33G	1"	300	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI34G	1"	400	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI35G	1"	500	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI36G	1"	600	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI37G	1"	700	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI38G	1"	800	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI39G	1"	900	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI310G	1"	1000	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI44G	1" 1/4	400	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI45G	1" 1/4	500	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI46G	1" 1/4	600	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI47G	1" 1/4	700	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI48G	1" 1/4	800	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI49G	1" 1/4	900	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI410G	1" 1/4	1000	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI55G	1" 1/2	500	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI56G	1" 1/2	600	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI57G	1" 1/2	700	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI58G	1" 1/2	800	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI59G	1" 1/2	900	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI510G	1" 1/2	1000	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI65G	2"	500	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI66G	2"	600	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI67G	2"	700	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI68G	2"	800	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI69G	2"	900	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI610G	2"	1000	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI76G	2" 1/2	600	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI77G	2" 1/2	700	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI78G	2" 1/2	800	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI79G	2" 1/2	900	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI710G	2" 1/2	1000	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI86G	3"	600	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI87G	3"	700	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI88G	3"	800	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI89G	3"	900	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI810G	3"	1000	femmina folle - revolving female	maschio fisso - fixed male	IIB	

Codice Code	Filettatura Thread Ø	Lunghezza Length mm	Raccordo Joint 1	Raccordo Joint 2	Classe gas Gas group	Prezzo Price
SPY13G	1/2"	300	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY14G	1/2"	400	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY15G	1/2"	500	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY16G	1/2"	600	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY17G	1/2"	700	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY18G	1/2"	800	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY19G	1/2"	900	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY110G	1/2"	1000	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY23G	3/4"	300	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY24G	3/4"	400	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY25G	3/4"	500	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY26G	3/4"	600	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY27G	3/4"	700	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY28G	3/4"	800	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY29G	3/4"	900	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY210G	3/4"	1000	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY33G	1"	300	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY34G	1"	400	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY35G	1"	500	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY36G	1"	600	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY37G	1"	700	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY38G	1"	800	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY39G	1"	900	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY310G	1"	1000	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY44G	1" 1/4	400	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY45G	1" 1/4	500	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY46G	1" 1/4	600	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY47G	1" 1/4	700	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY48G	1" 1/4	800	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY49G	1" 1/4	900	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY410G	1" 1/4	1000	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY55G	1" 1/2	500	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY56G	1" 1/2	600	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY57G	1" 1/2	700	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY58G	1" 1/2	800	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY59G	1" 1/2	900	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY510G	1" 1/2	1000	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY65G	2"	500	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY66G	2"	600	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY67G	2"	700	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY68G	2"	800	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY69G	2"	900	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY610G	2"	1000	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY76G	2" 1/2	600	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY77G	2" 1/2	700	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY78G	2" 1/2	800	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY79G	2" 1/2	900	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY710G	2" 1/2	1000	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY86G	3"	600	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY87G	3"	700	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY88G	3"	800	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY89G	3"	900	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY810G	3"	1000	maschio folle - revolving male	femmina fissa – fixed female	IIB	

Codice Code	Filettatura Thread Ø	Lunghezza Length mm	Raccordo Joint 1	Raccordo Joint 2	Classe gas Gas group	Prezzo Price
SPD13G	1/2"	300	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD14G	1/2"	400	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD15G	1/2"	500	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD16G	1/2"	600	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD17G	1/2"	700	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD18G	1/2"	800	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD19G	1/2"	900	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD110G	1/2"	1000	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD23G	3/4"	300	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD24G	3/4"	400	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD25G	3/4"	500	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD26G	3/4"	600	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD27G	3/4"	700	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD28G	3/4"	800	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD29G	3/4"	900	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD210G	3/4"	1000	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD33G	1"	300	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD34G	1"	400	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD35G	1"	500	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD36G	1"	600	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD37G	1"	700	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD38G	1"	800	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD39G	1"	900	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD310G	1"	1000	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD44G	1" 1/4	400	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD45G	1" 1/4	500	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD46G	1" 1/4	600	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD47G	1" 1/4	700	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD48G	1" 1/4	800	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD49G	1" 1/4	900	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD410G	1" 1/4	1000	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD55G	1" 1/2	500	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD56G	1" 1/2	600	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD57G	1" 1/2	700	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD58G	1" 1/2	800	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD59G	1" 1/2	900	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD510G	1" 1/2	1000	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD65G	2"	500	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD66G	2"	600	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD67G	2"	700	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD68G	2"	800	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD69G	2"	900	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD610G	2"	1000	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD76G	2" 1/2	600	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD77G	2" 1/2	700	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD78G	2" 1/2	800	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD79G	2" 1/2	900	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD710G	2" 1/2	1000	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD86G	3"	600	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD87G	3"	700	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD88G	3"	800	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD89G	3"	900	femmina folle - revolving female	femmina fissa - fixed female	IIB	
SPD810G	3"	1000	femmina folle - revolving female	femmina fissa - fixed female	IIB	

Codice Code	Filettatura Thread Ø	Lunghezza Length mm	Raccordo Joint 1	Raccordo Joint 2	Classe gas Gas group	Prezzo Price
SPP13G	1/2"	300	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP14G	1/2"	400	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP15G	1/2"	500	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP16G	1/2"	600	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP17G	1/2"	700	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP18G	1/2"	800	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP19G	1/2"	900	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP110G	1/2"	1000	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP23G	3/4"	300	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP24G	3/4"	400	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP25G	3/4"	500	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP26G	3/4"	600	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP27G	3/4"	700	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP28G	3/4"	800	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP29G	3/4"	900	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP210G	3/4"	1000	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP33G	1"	300	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP34G	1"	400	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP35G	1"	500	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP36G	1"	600	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP37G	1"	700	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP38G	1"	800	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP39G	1"	900	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP310G	1"	1000	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP44G	1" 1/4	400	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP45G	1" 1/4	500	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP46G	1" 1/4	600	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP47G	1" 1/4	700	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP48G	1" 1/4	800	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP49G	1" 1/4	900	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP410G	1" 1/4	1000	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP55G	1" 1/2	500	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP56G	1" 1/2	600	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP57G	1" 1/2	700	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP58G	1" 1/2	800	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP59G	1" 1/2	900	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP510G	1" 1/2	1000	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP65G	2"	500	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP66G	2"	600	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP67G	2"	700	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP68G	2"	800	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP69G	2"	900	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP610G	2"	1000	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP76G	2" 1/2	600	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP77G	2" 1/2	700	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP78G	2" 1/2	800	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP79G	2" 1/2	900	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP710G	2" 1/2	1000	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP86G	3"	600	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP87G	3"	700	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP88G	3"	800	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP89G	3"	900	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP810G	3"	1000	maschio folle - revolving male	maschio folle - revolving male	IIB	

Codice Code	Filettatura Thread Ø	Lunghezza Length mm	Raccordo Joint 1	Raccordo Joint 2	Classe gas Gas group	Prezzo Price
SPE13G	1/2"	300	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE14G	1/2"	400	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE15G	1/2"	500	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE16G	1/2"	600	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE17G	1/2"	700	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE18G	1/2"	800	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE19G	1/2"	900	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE110G	1/2"	1000	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE23G	3/4"	300	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE24G	3/4"	400	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE25G	3/4"	500	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE26G	3/4"	600	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE27G	3/4"	700	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE28G	3/4"	800	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE29G	3/4"	900	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE210G	3/4"	1000	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE33G	1"	300	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE34G	1"	400	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE35G	1"	500	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE36G	1"	600	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE37G	1"	700	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE38G	1"	800	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE39G	1"	900	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE310G	1"	1000	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE44G	1" 1/4	400	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE45G	1" 1/4	500	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE46G	1" 1/4	600	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE47G	1" 1/4	700	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE48G	1" 1/4	800	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE49G	1" 1/4	900	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE410G	1" 1/4	1000	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE55G	1" 1/2	500	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE56G	1" 1/2	600	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE57G	1" 1/2	700	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE58G	1" 1/2	800	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE59G	1" 1/2	900	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE510G	1" 1/2	1000	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE65G	2"	500	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE66G	2"	600	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE67G	2"	700	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE68G	2"	800	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE69G	2"	900	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE610G	2"	1000	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE76G	2" 1/2	600	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE77G	2" 1/2	700	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE78G	2" 1/2	800	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE79G	2" 1/2	900	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE710G	2" 1/2	1000	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE86G	3"	600	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE87G	3"	700	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE88G	3"	800	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE89G	3"	900	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE810G	3"	1000	femmina folle - revolving female	maschio folle - revolving male	IIB	

Codice Code	Filettatura Thread Ø	Lunghezza Length mm	Raccordo Joint 1	Raccordo Joint 2	Classe gas Gas group	Prezzo Price
SPT13G	1/2"	300	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT14G	1/2"	400	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT15G	1/2"	500	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT16G	1/2"	600	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT17G	1/2"	700	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT18G	1/2"	800	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT19G	1/2"	900	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT110G	1/2"	1000	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT23G	3/4"	300	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT24G	3/4"	400	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT25G	3/4"	500	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT26G	3/4"	600	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT27G	3/4"	700	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT28G	3/4"	800	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT29G	3/4"	900	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT210G	3/4"	1000	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT33G	1"	300	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT34G	1"	400	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT35G	1"	500	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT36G	1"	600	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT37G	1"	700	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT38G	1"	800	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT39G	1"	900	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT310G	1"	1000	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT44G	1" 1/4	400	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT45G	1" 1/4	500	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT46G	1" 1/4	600	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT47G	1" 1/4	700	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT48G	1" 1/4	800	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT49G	1" 1/4	900	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT410G	1" 1/4	1000	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT55G	1" 1/2	500	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT56G	1" 1/2	600	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT57G	1" 1/2	700	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT58G	1" 1/2	800	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT59G	1" 1/2	900	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT510G	1" 1/2	1000	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT65G	2"	500	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT66G	2"	600	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT67G	2"	700	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT68G	2"	800	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT69G	2"	900	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT610G	2"	1000	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT76G	2" 1/2	600	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT77G	2" 1/2	700	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT78G	2" 1/2	800	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT79G	2" 1/2	900	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT710G	2" 1/2	1000	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT86G	3"	600	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT87G	3"	700	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT88G	3"	800	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT89G	3"	900	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT810G	3"	1000	femmina folle - revolving female	femmina folle - revolving female	IIB	

DIRETTIVA

94/9/CE

DIRECTIVE

NORME

EN 50014 - EN 50018

STANDARDS

INSTALLAZIONE (secondo le EN 60079.10 - EN 60079.14)

zona 1 - 2

(according to EN 60079.10 - EN 60079.14) INSTALLATION

CARATTERISTICHE

I tubi rigidi vengono utilizzati, nelle aree con pericolo di esplosione, per collegare apparecchiature elettriche e, tramite i raccordi di bloccaggio e di collegamento, formano un sistema antideflagrante completo.


I tubi sono trafilati all'interno in modo da eliminare ogni asperità che possa danneggiare i cavi elettrici che verranno introdotti.

COSTRUZIONE

Tubo in acciaio zincato UNI 7683.
Lunghezza standard verga: 6 metri.
Manicotti protetti filetto in plastica.
Filettatura ISO7/1.

ACCESSORI A RICHIESTA

Altre filettature.

**FEATURES**

Rigid conduits are used in hazardous areas to connect electrical equipment setting up a complete explosion proof system through blocking and connecting unions. The conduits are drawn inside so that all roughness, which could damage the electrical cables, are eliminated.

CONSTRUCTION

UNI 7683 galvanised steel conduit.
Standard bar length: 6 meters.
Plastic couplings for thread protection.
ISO7/1 thread.

ACCESSORIES UPON REQUEST

Other threads.

Codice Code	Filettatura Thread Ø	Prezzo Price
BC1	1/2"	
BC2	3/4"	
BC3	1"	
BC4	1" 1/4	
BC5	1" 1/2	
BC6	2"	
BC7	2" 1/2	
BC8	3"	
BC10	4"	